



Williamsburg

Williamsburg

**Williamsburg
Opaque Offset**

**The Workhorse in Your Print House.
Sturdy. Steady. Strong.**

Williamsburg Quick Reference Guide

Williamsburg Opaque Offset *PLUS*

FINISH	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	STOCK	CERT.
Smooth	20/50	74	3.9	150	94	91	C	SFI
	24/60	89	4.5	150	94	93	C	SFI
	28/70	104	5.3	150	94	95	C	SFI

Williamsburg Opaque Offset

FINISH	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	STOCK	CERT.
Smooth	20/50	74	3.9	150	94	91	C S	SFI
	24/60	89	4.5	150	94	93	C S	SFI
	28/70	104	5.3	150	94	95	C S	SFI
	32/80	118	6.0	150	94	96	C S	SFI

Williamsburg Offset

FINISH	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	STOCK	CERT.
Smooth	20/50	74	3.9	150	94	90	R	SFI
	24/60	89	4.5	150	94	92	R	SFI
Vellum	20/50	74	4.3	250	94	90	R	SFI
	24/60	89	5.1	250	94	92	R	SFI

Williamsburg Recycled Opaque Offset

FINISH	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	STOCK	CERT.
Smooth	20/50	74	3.9	150	92	91	S	SFI
	24/60	89	4.5	150	92	93	S	SFI
	28/70	104	5.3	150	92	95	S	SFI

Williamsburg Return Postcard *PLUS*

GURLEY	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	STOCK	CERT.
Low	75	111	7.4	330	92	95	C	SFI

Williamsburg Return Postcard

GURLEY	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	STOCK	CERT.
Low	75	111	7.4	330	92	95	C S R	SFI
Low	97	144	9.5	330	92	97	C	SFI

SFI® indicates Sustainable Forestry Initiative® certified

C indicates Cartons

S indicates Skids

R indicates Rolls

Williamsburg Opaque Offset *PLUS*

- Features**
- Digital
 - 3 basis weights (50, 60, 70 lb.)
 - Smooth finish
 - 94 brightness, New Bluer-White shade
 - Williamsburg Offset *PLUS* rolls available on a making basis
 - Acid-free for added archival quality that extends the life of the document
 - Guaranteed to run on small and large offset presses, digital imaging equipment including copiers, laser and inkjet printers as well as plain-paper fax machines
- Benefits**
- Superior runnability, uniform quality and excellent printability
 - Excellent strength, bulk and stiffness
 - Designed specifically for “Electronic Imaging Guarantee”
- End Uses**
- Brochures, direct mail, bill stuffers, manuals, books, posters, place mats, financial statements, newsletters
- Colors**
- White



WHITE

FINISH	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	CERT.	PC FIBER
SMOOTH	20/50	74	3.9	150	94	91	SFI	0%
	24/60	89	4.5	150	94	93	SFI	0%
	28/70	104	5.3	150	94	95	SFI	0%

Based on 25" x 38" sheet size

BASIS WT.	SIZE	WEIGHT/ M SHEETS	SHEETS/ CARTON	CARTON/ PALLET	WEIGHT/ PALLET	GRADE CODE	STOCK CODE
50	8.5 x 11	9.84	5,000	40	1,968	7891	05316*
	11 x 17	19.68	2,500	40	1,968	7891	05317*
	12 x 18**	22.72	2,500	32	1,818	7891	05305*
60	8.5 x 11	11.80	5,000	32	1,890	7891	05324*
	8.5 x 11 ^{3-Hole Punched}	11.80	5,000	32	1,890	7891	05325*
	8.5 x 14	15.02	4,000	30	1,802	7891	05326*
	11 x 17	23.62	2,500	32	1,890	7891	05327*
	12 x 18**	27.28	2,000	32	1,746	7891	05306*
70	8.5 x 11	13.76	4,000	32	1,761	7891	05335*
	8.5 x 14	17.52	4,000	30	2,102	7891	05336*
	11 x 17	27.54	2,000	32	1,763	7891	05337*
	12 x 18**	31.82	2,000	32	2,036	7891	05307*

*Digital skus. These items are covered by the Electronic Imaging Guarantee. Full digital stocking information located in the Digital Portfolio section.

**Indicates this sku is HP® Indigo® 2 star rated

Williamsburg Opaque Offset

- Features**
- 4 basis weights (50, 60, 70, 80 lb.)
 - 2 finishes (Smooth, Vellum)
 - 94 brightness, New Bluer-White shade
 - Acid-free for added archival quality that extends the life of the document
 - Forest Stewardship Council® FSC® certified product available as a make request
- Benefits**
- Superior runnability, uniform quality and excellent printability
 - Excellent strength, bulk and stiffness
 - Meets the ANSI/NISO Z39.48-1992 requirement for paper permanence and National Association of State Textbook Administrators (NASTSA) specifications
 - Maximum height of 45" for press ready skids
- End Uses**
- Brochures, direct mail, bill stuffers, manuals, books, posters, catalogs, place mats, financial statements, newsletters
- Colors**
- White



Williamsburg Opaque Offset White Smooth Cartons

WHITE

FINISH	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	CERT.	PC FIBER
SMOOTH	20/50	74	3.9	150	94	91	SFI	0%
	24/60	89	4.5	150	94	93	SFI	0%
	28/70	104	5.3	150	94	95	SFI	0%
	32/80	118	6.0	150	94	96	SFI	0%

Based on 25" x 38" sheet size

BASIS WT.	SIZE	WEIGHT/ M SHEETS	SHEETS/ CARTON	CARTON/ PALLET	WEIGHT/ PALLET	GRADE CODE	STOCK CODE
50	17.5 x 22.5	41	4,200	14	2,411	7895	05318
	19 x 25	50	3,400	16	2,720	7895	05319
	23 x 29	70	2,000	14	1,960	7895	05320
	23 x 35	85	1,800	14	2,142	7895	05321
	25 x 38	100	1,600	16	2,560	7895	05322
	28 x 40	118	1,300	10	1,534	7895	05323
60	17.5 x 22.5	50	3,200	14	2,240	7895	05328
	19 x 25	60	2,600	16	2,496	7895	05329
	23 x 29	84	1,800	12	1,815	7895	05330
	23 x 35	102	1,500	14	2,142	7895	05331
	25 x 38	120	1,300	16	2,496	7895	05332
	28 x 40	142	1,100	10	1,551	7895	05333
70	17.5 x 22.5	58	2,400	14	1,949	7895	05338
	19 x 25	70	2,000	16	2,240	7895	05339
	23 x 29	98	1,500	12	1,764	7895	05340
	23 x 35	119	1,300	16	2,475	7895	05341
	25 x 38	140	1,100	18	2,772	7895	05342
	28 x 40	166	1,000	10	1,660	7895	05343
80	23 x 29	112	1,300	14	2,038	7895	05344
	23 x 35	136	1,200	14	2,285	7895	05345
	25 x 38	160	1,000	18	2,880	7895	05346

Williamsburg Opaque Offset White Smooth Skids

WHITE

FINISH	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	CERT.	PC FIBER
SMOOTH	20/50	74	3.9	150	94	91	SFI	0%
	24/60	89	4.5	150	94	93	SFI	0%
	28/70	104	5.3	150	94	95	SFI	0%
	32/80	118	6.0	150	94	96	SFI	0%

Based on 25" x 38" sheet size

BASIS WT.	SIZE	WEIGHT/ M SHEETS	SHEETS/ SKID	WEIGHT/ SKID	GRADE CODE	STOCK CODE
50	17.5 x 22.5*	41	20,000	820	7895	17001
	19 x 25*	50	20,000	1,000	7895	17015
	23 x 29	70	10,000	700	7895	17016
	23 x 35	85	10,000	850	7895	17002
	24 x 36	90	10,000	900	7895	17017
	25 x 38	100	10,000	1,000	7895	17003
	28 x 40	118	10,000	1,180	7895	17004
60	17.5 x 22.5*	50	17,000	850	7895	17005
	19 x 25*	60	17,000	1,020	7895	17006
	23 x 29	84	8,500	714	7895	17007
	23 x 35	102	8,500	867	7895	17008
	24 x 36	110	8,500	935	7895	17018
	25 x 38	120	8,500	1,020	7895	17009
	28 x 40	142	8,500	1,207	7895	17010
70	17.5 x 22.5*	58	15,000	870	7895	17092
	19 x 25*	70	15,000	1,050	7895	17093
	23 x 35	119	7,500	893	7895	17011
	24 x 36	128	7,500	960	7895	17094
	25 x 38	140	7,500	1,050	7895	17012
	28 x 40	166	7,500	1,245	7895	17013
80	25 x 38	160	6,500	1,040	7895	17014

* All press ready skids are 1 tier, with the exception of 17.5 x 22.5 and 19 x 25 which are 2 tiers.

Williamsburg Offset White Smooth

Rolls

WHITE

FINISH	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	CERT.	PC FIBER
SMOOTH	20/50	74	3.9	150	94	90	SFI	0%
	24/60	89	4.5	150	94	92	SFI	0%

BASIS WT.	ROLL WIDTH	ROLL DIAMETER	AVG LIN FT / ROLL	AVG WT / ROLL	GRADE CODE	STOCK CODE
50	17 ⁺⁺	40	28,600	630	6895	05366
	17.5 ⁺⁺	40	28,600	647	6895	05367
	18 ⁺⁺	40	28,600	665	6895	05483
	35	40	28,600	1,293	6895	05369
	35	50	45,000	2,040	6895	05462
60	17 ⁺⁺	40	24,500	630	6895	05372
	17.5 ⁺⁺	40	24,500	647	6895	05373
	18 ⁺⁺	40	24,500	655	6895	05374
	35	40	24,500	1,305	6895	05376
	35	50	38,300	2,050	6895	05464

**Rolls wrapped 2 per bundle.

Williamsburg Offset White Vellum

Rolls

WHITE

FINISH	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	CERT.	PC FIBER
VELLUM	20/50	74	4.3	150	94	90	SFI	0%
	24/60	89	5.1	250	94	92	SFI	0%

BASIS WT.	ROLL WIDTH	ROLL DIAMETER	AVG LIN FT / ROLL	AVG WT / ROLL	GRADE CODE	STOCK CODE
50	17 ⁺⁺	40	25,275	584	6896	05391
60	17 ⁺⁺	40	20,800	578	6896	05397
	18 ⁺⁺	40	20,800	608	6896	05399

**Rolls wrapped 2 per bundle.

Williamsburg Recycled Opaque Offset

- Features**
- 3 basis weights (50, 60, 70 lb.)
 - Smooth finish
 - 92 brightness, Blue-White shade
 - 30% post-consumer fiber
 - Acid-free for added archival quality that extends the life of the document
- Benefits**
- Superior runnability, uniform quality and excellent printability
 - Excellent strength, bulk and stiffness
 - Meets the ANSI/NISO Z39.48-1992 requirement for paper permanence and National Association of State Textbook Administrators (NASTSA) specifications
 - Maximum height of 45" for press ready skids
- End Uses**
- Brochures, direct mail, bill stuffers, manuals, books, posters, catalogs, place mats, financial statements, newsletters
- Colors**
- White



SUSTAINABLE
FORESTRY
INITIATIVE
SFI-00006



Williamsburg Recycled Opaque Offset

Skids

WHITE

FINISH	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	CERT.	PC FIBER
SMOOTH	20/50	74	3.9	150	92	91	SFI	30%
	24/60	89	4.5	150	92	93	SFI	30%
	28/70	104	5.3	150	92	95	SFI	30%

Based on 25" x 38" sheet size

BASIS WT.	SIZE	WEIGHT/ M SHEETS	SHEETS/ SKID	WEIGHT/ SKID	GRADE CODE	STOCK CODE
50	23 x 35	85	10,000	850	7898	17023
	25 x 38	100	10,000	1,000	7898	17024
60	23 x 35	102	8,500	867	7898	17030
	25 x 38	120	8,500	1,020	7898	17031
70	25 x 38	140	7,500	1,050	7898	17034

* All press ready skids are 1 tier, with the exception of 17.5 x 22.5 and 19 x 25 which are 2 tiers.

Williamsburg Return Postcard *PLUS*

- Features**
- 7 pt.
 - Hi-Bulk finish
 - 92 brightness, Blue-White shade
 - Cut-size version of Williamsburg Return Postcard
 - Acid-free for added archival quality that extends the life of the document
 - Guaranteed to run on small and large offset presses, digital imaging equipment, including copiers, laser and inkjet printers, as well as plain-paper fax machines that accept vellum finish papers

- Benefits**
- Superior runnability, uniform quality and excellent printability
 - Excellent strength, bulk and stiffness
 - Meets minimum USPS 7 pt. reply card specifications

- End Uses**
- Reply cards, posters, menus, table tents

- Colors**
- White



SUSTAINABLE
FORESTRY
INITIATIVE
SFI-00006



Williamsburg Return Postcard *PLUS*

Cartons

WHITE

GURLEY	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	CERT.	PC FIBER
LOW	75	111	7.4	330	92	95	SFI	0%

Based on 25" x 38" sheet size

POINTS	SIZE	WEIGHT/ M SHEETS	SHEETS/ CARTON	CARTON/ PALLET	WEIGHT/ PALLET	GRADE CODE	STOCK CODE
7 pt.	8.5 x 11	14.76	2,500	48	1,771	7903	05403*
	11 x 17	29.52	1,250	48	1,771	7903	05404*

*Digital skus. These items are covered by the Electronic Imaging Guarantee. Full digital stocking information located in the Digital Portfolio section.

Williamsburg Return Postcard

- Features**
- 7 pt., 9 pt. (Low Gurley)
 - Hi-Bulk finish
 - 92 brightness, Blue-White shade
 - Acid-free for added archival quality that extends the life of the document

- Benefits**
- Superior runnability, uniform quality and excellent printability
 - Excellent strength, bulk and stiffness
 - 7 pt. meets minimum USPS 7 pt. reply card specifications
 - 9 pt. meets minimum USPS 9 pt. reply card specifications

- End Uses**
- Reply cards, posters, menus, table tents

- Colors**
- White



SUSTAINABLE
FORESTRY
INITIATIVE
SFI-00006

**Acid
Free**

Williamsburg Return Postcard

Cartons

WHITE

GURLEY	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	CERT.	PC FIBER
LOW	75	111	7.4	330	92	95	SFI	0%
	97	144	9.5	330	92	97	SFI	0%

Based on 25" x 38" sheet size

BASIS WT.	SIZE	WEIGHT/ M SHEETS	SHEETS/ CARTON	CARTON/ PALLET	WEIGHT/ PALLET	GRADE CODE	STOCK CODE
7 pt.	17.5 x 22.5	62	2,400	12	1,786	7897	05405
	19 x 25	75	1,500	16	1,800	7897	05427
	23 x 29	105	1,100	14	1,617	7897	05406
	23 x 35	127	1,200	12	1,829	7897	05407
	25 x 38	150	1,000	14	2,100	7897	05408
	28 x 40	176	700	10	1,232	7897	05428
9 pt.	23 x 35	164	900	12	1,771	7897	05465
	25 x 38	194	800	14	2,173	7897	05466

Williamsburg Return Postcard

Skids

WHITE

GURLEY	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	CERT.	PC FIBER
LOW	75	111	7.4	330	92	95	SFI	0%

Based on 25" x 38" sheet size

BASIS WT.	SIZE	WEIGHT/ M SHEETS	SHEETS/ SKID	WEIGHT/ SKID	GRADE CODE	STOCK CODE
7 pt.	23 x 35	127	5,500	698	7897	05418
	25 x 38	150	5,500	825	7897	05419

Williamsburg Return Postcard

Rolls

WHITE

GURLEY	BASIS WT.	GSM	CALIPER	SMOOTHNESS	BRIGHTNESS	OPACITY	CERT.	PC FIBER
LOW	75	111	7.4	330	92	95	SFI	0%

BASIS WT.	ROLL WIDTH	ROLL DIAMETER	AVG LIN FT / ROLL	AVG WT / ROLL	GRADE CODE	STOCK CODE
7 pt.	17.5	40	16,500	554	6897	05414
	18	40	16,500	568	6897	05488
	35	40	16,500	1,086	6897	05417